

SUPPLEMENT TO



The Gazette of India

No. 26]

NEW DELHI, SATURDAY, JULY 14, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th June, 1956

	CHOLERA				SMALLPOX				PLAQUE					CHOLERA				SMALLPOX				
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) AND PART (C)																						
Ajmer																						
TOTAL	.	7	Kamrup	.	.	24	II	
(Estd. mid-year pop. 752 thousands.)																TOTAL	.	24	II
Total for w/e 9-6-56	(Estd. mid-year pop. 9,817 thousands.)					Total for w/e 9-6-56	12	8	..	I
Total for w/e 2-6-56	I	I	Total for w/e 2-6-56	Total for w/e 2-6-56	I
7-yearly mean for the week	I	7-yearly mean for the week	10	6	I	
Andhra																						
Srikakulam	6	2			Total	19	
Vizakhapatnam	17	3			(Estd. mid-year pop. 867 thousands.)											
Godavari East	14	4			Total for w/e 9-6-56	
Godavari West	29	5			Total for w/e 2-6-56	
Krishna	64	7			7 yearly mean for the week	
Guntur	44	8														
Nellore	33	12														
Kurnool	38	7														
Cuddapah	4	2														
Anantapur	17	3														
Chittoor	4														
TOTAL	270	53														
(Estd. mid-year pop. 21,238 thousands.)																						
Total for w/e 9-6-56	168	39																
Total for w/e 2-6-56	134	39																
7-yearly mean for the week	..	106	47	163	33															

Explanation of Symbols used : C.=Cases ; D.=Deaths ; ..=Nil ; "N.R."=Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th June, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
Bombay—<i>contd.</i>												Madras—<i>contd.</i>						
Sholapur	13	I	South Arcot	10		
Bijapur	6	Tiruchirappalli	10	6		
Mehsana	.	.	—	..	3	I	Ramnathapuram	2	I		
Banaskantha	16	Tirunelveli	4		
TOTAL	*	70	6	Malabar	*	16	5		
(Estd. mid-year pop. 39,569 thousands.)									South Kanara	*	6	3		
Total for w/e 9-6-56	57	14	TOTAL	*	57	18		
Total for w/e 2-6-56	56	22	(Estd. mid-year pop. 38,273 thousands.)									
7-yearly mean for the week	*	*	63	I9	146	28	Total for w/e 9-6-56	41	10		
Coorg												Total for w/e 2-6-56						
TOTAL	*	—	—	—	—	7-yearly mean for the week	*	*	39	I9	80	22	—	..	
(Estd. mid-year pop. 262 thousands.)																		
Total for w/e 9-6-56	—	—	—	—	—	—	—	—	Manipur									
Total for w/e 2-6-56	—	—	—	—	—	—	—	—	TOTAL	*	
7-yearly mean for the week	*	*	(Estd. mid-year pop. 613 thousands.)									
Delhi												Total for w/e 9-6-56						
Delhi City	2	Total for w/e 2-6-56	
New Delhi	I										
Delhi Notified Area	I	Orissa									
West Delhi N.A.C.	I	GuttaC	*	*	28	II	3	
TOTAL	*	4	I	Puri	*	*	39	27	—	
Census pop. 1,744 thousands)									Sambalpur	*	*	5	
Total for w/e 9-6-56	7	I	Ganjam	*	*	32	17	
Total for w/e 2-6-56	6	I	Koraput	*	*	
7-yearly mean for the week	*	*	3	I	—	..	Keonjhar	*	*	9	3	
Himachal Pradesh												Dhenkanal						
“N.R.”																		
Madhya Pradesh												Kalahandi						
“N.R.”																		
Madras												Mayurbhanj						
Madras city	3	I	TOTAL	*	III	59	42	3	
North Arcot	5	I	(Estd. mid-year pop. 15,114 thousands).									
Salem	I	I	Total for w/e 9-6-56	190	90	32	2	
									Total for w/e 2-6-56	98	38	27	I	
									7-yearly mean for the week	*	*	94	48	86	10	

Explanation of Symbols used ; C.—Cases ; D.—Deaths ; ..—Nil. ; “N.R.”—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th June, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
Punjab (I)												Uttar Pradesh— <i>contd.</i>																									
Hoshiarpur	3	(Estd. mid-year pop. 66,780 thousands.)																														
Jullundur	1																															
TOTAL census	4													Total for w/e 9-6-56																		
(Estd. mid-year pop. 12,641 thousands.)																																					
Total for w/e 9-6-56	3																															
Total for w/e 2-6-56	1													Total for w/e 2-6-56																		
7-yearly mean for the week	21	6																															
West Bengal																																					
Pondicherry																																					
TOTAL	60	60													Burdwan																		
Tripura																																					
TOTAL													Midnapur																		
(Estd. mid-year pop. 706 thousands.)																																					
Total for w/e 9-6-56													Hooghly																		
Total for w/e 2-6-56													Bankura																		
7-yearly mean for the week	21	6													Midnapur																		
Uttar Pradesh																																					
Allahabad	5	1													Birbhum																		
Azamgarh	21	7													Bankura																		
Banaras	9	6													Midnapur																		
Kanpur	1	1													Hooghly																		
Dcoria	..	5	2													Birbhum																		
Etawah	2													Bankura																		
Falzabad	1													Midnapur																		
Ghazipur	1	1													Hooghly																		
Hardoi	7	7													Burdwan																		
Jaunpur	10	7	14	4													Midnapur																		
Kheri	..	3	2													Hooghly																		
Lucknow	1													Bankura																		
Meerut	6													Midnapur																		
Rae Bareli	49	22	6	1													Hooghly																		
TOTAL	65	31	77	32													Burdwan																		

Explanation of Symbols used: C.—Cases; D.—Deaths; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 16th June, 1956—*contd.*

CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX						PLAQUE					
—		C.	D.	C.	D.	—		C.	D.	—		C.	D.	—		C.	D.	—		C.	D.	—		C.	D.										
STATES PART (B)																								Patiala and East Punjab States Union											
Hyderabad																								N. R.											
Raichur	.	34	6	Rajasthan											
Mahbubnagar	1	1	"N. R."											
Hyderabad	10	3	Saurashtra											
Khammam	4	1	TOTAL											
TOTAL	.	34	6	15	5	Travancore-Cochin											
Jammu and Kashmir	Total											
"N.R."	Grand total for States Part (B)											
Madhya Bharat	598 255 748 216											
"N.R."	ARREAR INFORMATION											
Mysore	Rajasthan											
Shimoga	1	w/s 2-6-56											
Chitaldrug	6	3	TOTAL											
Kolar	20	2	Madhya Bharat											
TOTAL	27	5	w/s 26-5-56											

Explanation of Symbols used : C. — Cases ; D. — Deaths ; .. — Nil. ; "N.R." — Information not received.

NEW DELHI-2 (INDIA) :

The 9th July, 1956.

K. MITRA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.F.*	I.D.
STATES—(Parts A and B)													
Ajmer													
Ajmer	223	74	17·3	4	..	9	..	36	8·4	3
Beawar	59	22	19·4	1	..	2	2	11	9·7	4
TOTAL	282	96	17·7	5	..	11	2	47	8·7	7
Andhra													
Adoni	63	42	34·7	2	1	2	..	11	9·1	3
Anantapur	38	17	23·3	1	8	10·9	2
Anakapalli	46	23	26·0	5	—	5	..	19	21·5	4
Bhimavaram	36	14	20·2	1	7	10·1	2
Chirala	43	10	12·1	2	3	8	9·7	2
Chittoor	43	28	32·4	2	1	7	8·1	4
Cuddapah	42	38	47·0	2	..	1	..	12	14·9	4
Elturu	99	42	22·1	..	6	..	2	1	3	1	26	13·7	4
Gudivada	36	36	52·0	1	..	1	..	7	10·1	2
Guntur	147	148	52·4	..	1	..	10	7	6	2	56	19·8	12
Guntakal	37	20	28·1	1	..	2	..	9	12·6	1
Kakinada†													
Kurnool†													
Masulipatnam	88	65	38·4	1	3	3	..	24	14·2	6
Nandyal	37	30	42·2	..	3	..	3	2	2	..	18	25·3	5
Nellore	95	124	67·8	—	6	1	2	..	43	23·5	12
Proddatur†													
Rajahmundry	122	53	22·6	8	1	3	2	34	14·5	11
Tenali	67	42	32·6	4	..	4	..	15	11·6	3
Vijayawada	201	174	45·0	8	5	3	1	44	11·4	14
Vizakhapatnam	128	67	27·2	..	1	..	12	1	11	..	54	21·9	10
Vizianagaram	75	49	34·0	..	1	..	3	4	..	2	27	18·7	9
TOTAL	1,445	1,022	36·8	..	12	..	72	27	52	9	429	15·4	110
Assam													
“N.R.”													
Bhopal													
Bhopal	116	97	13·5	8	1	2	..	14	6·3	..
Bihar													
Arrah	70	13	9·7	4	7	5·2	..
Bihar	68	16	12·2	6	6	4·6	..
Bettiah†													
Bhagalpur†													
Chapra	69	29	21·9	1	9	6·8	..
Darbhanga	93	18	10·1	4	6	3·4	..
Dhanbad	41	9	11·4	2	2	2·5	..
Dinapur†	44	3	3·6	3	4	4·7	..
Gaya	149	21	7·3	25	4	11	..	54	18·9	..
Hazaribagh	39	10	13·3	3	4·0	2
Jamalpur	47	5	5·5	1	3	3·3	..
Jamshedpur	246	119	25·2	3	22	4·7	7
Katihar	51	11	1·0
Monghyr													
Muzaffarpur	84	12	7·4	2	11	6·8	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—contd.

Deaths from :—

Town	Mid-year popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bihar—contd.													
Patna	330	117	18.4	7	10	2	..	37	5.8	..
Purulia	47	11	12.2	1	2	2.2	..
Ranchi	130	35	14.0	..	2	..	7	19	7.6	6
TOTAL	1,508	419	14.4	..	2	..	62	15	13	3	185	6.4	15
Bombay													
Ahmedabad	889	531	31.1	..	2	..	26	9	79	..	289	16.9	89
Ahmednagar	88	47	27.8	6	3	6	2	32	18.9	9
Amalner	50	24	25.0	11	..	2	..	18	18.7	5
Bagalkot	36	24	34.7	16	..	1	..	3	4.3	1
Baroda	242	156	33.5	9	4	17	2	82	17.6	19
Barsi	46	30	33.9	9	1	2	1	17	20.0	6
Belgaum	110	68	32.1	4	1	15	7.1	3
Bhusawal	62	28	23.5	2	..	1	..	6	5.0	..
Bijapur	75	33	22.9	3	..	3	..	12	8.3	..
Broach†	41	38	48.2	..	1	..	1	18	22.8	5
Cambay	35	18	26.7	4	8	11.9	1
Chalisgaon
Dharwad	76	28	19.2	2	..	1	..	11	7.5	2
Dhulia	89	46	26.8	10	..	1	..	23	13.4	7
Gadag-Betageri	71	45	33.0	8	..	6	1	27	19.8	1
Godra	40	39	50.7	9	..	1	..	11	14.3	2
Greater Bombay	3,449	1,504	22.7	..	4	34	92	2	574	8.7	147
HUBLI	148	55	19.3	1	1	4	..	17	6.0	2
Jalgaon	79	11	11.8	4	..	1	..	11	7.2	..
Kalyan	73	38	27.1	2	2	8	5.7	2
Kolhapur	159	120	39.2	2	7	5	1	40	13.1	7
Malegaon	63	49	40.4	7	10	8.3	2
Miraj	44	24	28.4	3	1	..	15	17.7	2
Nadiad	71	52	38.1	10	..	4	2	24	17.6	6
Nandurbar	35	20	29.7	1	8	11.9	6
Nasik	119	69	30.2	4	1	7	..	23	10.1	2
Navasari	50	27	28.1	3	1	9	9.4	3
Pandharpur	44	26	30.7	5	3	4	1	18	21.3	6
Patan†	607	442	37.9	13	4	21	..	127	10.9	38
Poona
Sangli	58	34	30.5	4	1	15	13.5	4
Satara	40	33	42.9	1	..	11	14.3	..
Sholapur	299	203	35.3	16	3	26	..	91	15.8	23
Surat	250	162	33.7	17	7	25	1	140	29.1	36
Thana	61	38	32.4	..	1	..	3	13	11.1	2
TOTAL	7,599	4,069	27.8	..	4	..	203	84	311	14	1,726	11.8	438

Delhi State

Delhi City	1,124	521	24.1	87	9	12	1	160	7.4	52
New Delhi	374	251	34.9	5	8	10	..	171	23.8	37
Station Delhi N.A.C., Civil	117	86	38.2	2	2	3	..	18	8.0	7
Delhi-Cantt.	50	25	26.0	7	10	9.8	..
Delhi-Shahdara	53	33	32.4	7
TOTAL	1,718	916	27.7	..	1	..	101	19	25	1	359	10.9	103

Madhya Pradesh

Achalpur	38	29	39.7	10	1	17	23.3	6
Akola	104	69	34.5	5	1	3	..	19	9.5	11
Amravati†

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths (included in total deaths); ..—Nil information; "NR"—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—contd.

Town	Mid-year Popn. Est. ('000)	Deaths from:—												Total	D.R.*	I.D.
		B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.	Total					
Madhya Pradesh—contd.																
Bilaspur	40	15	19·5	..	I	..	6	18	23·4	4			
Burhanpur	79	66	43·4	9	I	2	..	19	12·5	..			
Chanda	43	24	29·0	3	13	15·7	4			
Chindwara†																
Damoh	42	20	24·8	2	2	2	..	0	12·4	..			
Gondia	45	40	46·2	2	2·3	I			
Hingaghāt†																
Jabalpur	237	26	5·7	2	I	..	8	..	I	..	19	4·2	..			
Khandwa	59	24	21·2	7	11	9·7	..			
Khangarot†																
Kamptee†																
Murwarat†																
Itarsi†																
Nagpur†																
Sagart†																
Raipur†																
Raigarh†																
Wardhat†																
Yeotmal	Total	41 728	35 348	44·3 24·8	.. 2	.. 2	..	51	.. 5	I 9	..	12 140	15·2 10·0	2 28		
Madras																
Ambur	44	10	35·5	I	3	..	9	10·6	2			
Aruppukottai	56	26	24·1	2	3	..	16	14·9	3			
Bodinayakanur	40	25	32·5	6	7·8	2			
Cannanore	47	26	28·8	1	..	I	..	16	17·7	2			
Chidambaram	39	31	41·3	5	6·7	..			
Coimbatore	234	290	64·4	3	7	14	3	92	20·4	23			
Cuddalore	74	100	70·3	2	2	..	21	15·2	3			
Dindigul	90	74	42·8	2	1	..	13	7·5	2			
Erode	67	44	34·1	1	2	..	8	6·2	4			
Gobichettipalayam	38	23	31·5	4	5·5	1			
Gudiyattam	53	44	43·2	1	1	2	7	6·9	2			
Kancheepuram	90	83	48·0	4	14	1	37	21·4	5			
Karaikudi†																
Karur	50	27	28·1	8	8·3	1			
Kozhikode	176	264	78·0	4	7	8	..	89	26·3	27			
Kumbakonam	105	67	33·2	3	..	22	10·9	1			
Madras†																
Mangalore	136	117	44·7	9	1	6	1	29	11·1	8			
Mathurai	427	439	53·5	8	17	29	4	140	17·0	55			
Mayuram	49	45	47·8	1	..	2	1	17	18·0	3			
Malapalyam	41	7	8·9	1	..	2	..	9	17·4	..			
Nagapattinam	60	47	40·7	2	..	I	..	13	11·3	5			
Ootacamund†																
Palni	40	25	32·5	5	..	12	15·6	4			
Palayankottai	45	48	55·5	3	..	3	1	18	20·8	1			
Palghat	77	49	33·1	1	3	4	2	28	18·9	5			
Periyakulam	34	38	58·1	1	..	1	1	10	15·3	2			
Poilachl	51	39	39·8	1	2	2	..	15	15·3	5			
Pudukottai	50	40	41·6	..	4	..	1	1	3	..	15	18·6	1			
Rajapalayam	69	26	19·6	2	2	5	1	14	10·6	2			
Salem	241	150	32·4	5	5	17	I	53	11·4	5			
Srirangam	42	15	18·6	1	1	7	8·7	1			
Srivilliputtur	44	37	43·7	4	3	16	18·9	3			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.C.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—contd.

Deaths from :—

Town	Mid-year Popn.—Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Tanjore	118	122	53.8	5	17	7.5	2
Tellicherry	42	48	59.4	4	1	23	28.5	2
Tiruchirappall	251	178	36.9	1	5	8	..	63	13.1	14
Tirunelveli	80	37	24.1	1	2	4	..	20	13.0	8
Tiruppur	63	62	51.2	3	3	1	22	18.2	9
Tiruvannamalai	45	33	38.1	3	2	17	19.6	6
Tuticorin	111	87	40.8	1	2	13	1	42	19.7	14
Vaniyambadi	43	30	36.3	1	1	..	4	4.8	1
Vellore†													
Villupuram	39	28	37.3	1	2	..	11	14.7	5
Virudhunagar	53	77	75.5	1	..	7	6.9	..
TOTAL	• 3,454	2,978	44.8	..	4	..	61	71	169	25	975	14.7	239
Orissa													
Berhampur	72	65	46.9	3	2	2	..	17	12.3	8
Cuttack	117	136	60.4	6	3	7	..	36	16.0	6
Puri	53	60	59.0	6	4	20	19.6	7
TOTAL	• 242	261	56.1	15	9	9	..	73	15.7	21
Punjab (I)													
Ambala	65	46	37.0	6	4	4	..	19	15.3	6
Amritsar	343	158	24.1	1	6	32	2	77	11.7	16
Batala	62	36	30.4	5	8	6.7	3
Bhiwani	57	8	2	1	..	16	14.7	6
Ferozepore	45	21	26.8	1	1	10	22.8	21
Hissar	39	30	40.2	5	..	2	..	9	12.1	..
Hoshiarpur	51	22	22.6	1	..	2	..	11	11.3	3
Jullundur	200	97	25.4	7	1	7	1	23	6.0	10
Karnal	72	32	23.2	2	..	1	1	9	6.5	..
Ludhiana	176	96	28.5	13	18	5.3	4
Moga	41	15	19.1	1	1	3	..	8	10.2	..
Panipat	64	28	22.9	4	8	6.5	1
Pathankot	34	18	27.7	5	1	7	10.8	3
Rewari	36	19	27.6	9	..	1	..	12	17.4	6
Rohtak†													
TOTAL	• 1285	618	25.0	—	68	15	53	4	235	9.5	60
Uttar Pradesh													
Agra	375	218	30.4	1	..	5	..	65	9.1	17
Allahabad	349	140	21.0	..	1	..	2	1	31	1	77	11.5	21
Amroha	61	45	38.6	9	2	22	18.8	6
Bahrain	47	21	23.4	6	1	1	..	9	10.0	3
Banaras	383	226	30.8	..	2	..	51	3	20	..	160	21.8	39
Ballia	95	9	13.4	3	4	6.0	1
Banda	92	61	19.6	7	4	6	..	26	4.9	1
Bareilly	203	157	15.7	14	2	5	..	35	6.7	5
Budaun	54	21	20.3	6	1	8	..	16	15.5	4
Bijnor	32	14	22.9	3	..	1	..	10	16.3	1
Bulandshahr†													
Chandausi	41	30	38.0	7	14	17.8	7
Dehra Dun	146	30	10.7	..	1	..	3	..	4	..	15	5.4	3
Etawah	64	37	30.2	14	2	5	..	35	28.7	14
Faizabad-Ayodhya	88	20	11.9	..	1	..	7	..	2	..	14	8.3	3
Farrukhabad-Patetgarh	82	37	23.6	7	..	3	..	12	7.6	2
Ferozabad	79	35	23.2	2	5	3.3	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Ghaziabad	.	46	28	31.8	7	..	1	..	11	12.5	31
Gazipur	.	36	18	26.0	6	..	2	..	20.2	1	
Gorakhpur	.	140	70	26.0	9	4	4	..	10.0	7	
Gonda	.	35	9	3.4	3	..	1	..	6	9.0	1
Hapur	.	49	44	46.7	9	3	1	..	24	25.5	5
Hardwar	.	64	39	31.7	15	2	2	..	41	33.3	12
Hathras	.	62	43	36.1	21	3	7	..	44	36.9	12
Jaunpur	.	56	20	18.6	2	2	3	..	11	10.7	1
Jhansi	.	116	105	47.1	32	2	1	..	48	21.5	17
Kanpur	.	734	304	21.5	122	20	50	6	329	22.3	91
Kasganj	.	34	5	7.4	1	1	1.5	..
Khurja.	.	41	17	21.6	5	1	3	..	13	16.5	4
Koll-Aigarh	.	150	55	19.1	32	4	4	1	54	18.7	20
Lucknow	.	494	350	36.8	27	20	27	1	123	12.9	40
Mathura	.	110	89	42.1	34	4	7	..	58	27.5	22
Mau-Nath Bhajan†														
Meerut	.	185	103	29.0	10	..	5	..	20	5.5	7
Mirzapur Vindhya Chal	.	97	45	24.1	19	1	2	..	28	15.0	9
Moradabad	.	164	95	30.1	10	4	10	..	45	14.1	16
Muzaffarnagar	.	74	33	23.2	13	14	9.8	4
Pilibhit	.	45	9	10.4	6	1	3	..	14	16.2	8
Rampur†														
Saharanpur	.	162	106	34.0	31	2	3	..	47	15.0	15
Sambhal	.	65	42	33.6	8	2	2	..	16	12.8	3
Shahjahanpur	.	99	37	19.4	16	3	3	..	33	17.3	12
Sitapur	.	49	15	15.9	7	1	10	10.6	4
TOTAL		5,178	2,637	26.6	..	5	..	573	93	228	9	1,518	15.2	440

West Bengal

Asansol†														
Baidyabti	.	33	8	12.6	1	..	3	4.7	..
Bally	.	66	4	3.2	1	5	4.0	..
Bankura†														
Bansberia†														
Baranagar	.	90	44	25.6	1	2	3	2	..	18	10.5	7
Basirhat	.	39	4	5.3
Berhampur	.	64	39	31.9	..	2	..	2	14	11.4	5
Bhadreshwar	.	34	6	9.2	2	1	..	3	4.6	..
Bhatpara	.	143	21	7.7	6	..	3	..	15	5.5	5
Budge Budge	.	32	12	19.6	2	1	..	1	..	4	6.5	4
Burdwan	.	82	20	12.8	1	1	1	..	6	3.8	..
Calcutta	.	2,984	1,220	21.4	52	8	..	24	57	113	2	621	10.9	185
Champedani	.	41	9	11.5	2	2.6	..
Gooch Behart†														
Darjeeling†														
English Bazar	.	36	18	26.0	2	1	3	..	4	5.8	..
Garden Reach	.	124	25	10.5	4	3	5	23	9.7	4
Haldibari	.	41	6	7.7	9	1	1.3	..
Hoogly-Chinsurah	.	60	60	52.0	2	4	1	3	..	20	17.4	4
Howrah	.	477	171	18.7	13	1	..	5	16	16	..	110	12.1	34
Jalpaiguri	.	49	17	18.1	1	1	2	..	6	6.4	..
Kamarhati†														
Kanchrapura	.	74	1	0.7	1	..	2	1.4	..
Krishnagar	.	56	2	0.9	2	24
Midnapore	.	45	61	70.9	1	27.9	5.8	..
Nabadwip†														
Naihati	.	62	2	1.7	1	..	1	..	2	1.7	..
North Barrackpore	.	36	2	2.9	1	..	1	..	4	5.8	..
Panighat†	.	65	3	2.4	1	0.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from—												D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
West Bengal—(contd.)															
Shantipur	49	32	34·1	1	..	4	4·3	1			
Serampore	83	23	14·5	1	4	1	20	12·6	4			
Siliguri	44	15	17·8	1	..	4	4·8	..			
South Dum Dum †															
South Suburban	124	19	8·0	1	3	4	12	5·1	5			
Titagarh	78	20	13·4	8	..	1	12	8·0	2			
TOTAL	5,111	1863	19·0	76	11	..	63	93	158	6	940	9·6	257		
States—Part (B)															
Hyderabad															
Aurangabad	73	7	5·0	1	..	3	2·8	..			
Bidar†															
Gulbergat															
Hyderabad City	1057	144	7·1	..	4	..	21	3	4	76	3·7	15			
Jalna	69	7	5·3	..	1	5	9	6·8	..			
Kothagudiam	71	15	11·4	1	..	5	2·6	..			
aturl†															
Nanded	80	10	6·5	6	6·9	..			
Nizambad	67	16	12·4	2	..	4	10	7·8	3			
Parbhani	40	5	6·5	3	1	5	6·5	1		
Raichure†															
Secundrabad City	162	138	44·3	..	1	..	2	1	2	21	6·7	6			
Warangal	155	23	7·5	6	8	2·2	..			
TOTAL	1774	363	10·7	..	6	..	34	6	16	1	143	4·2	25		
Jammu & Kashmir															
"N.R."															
Madhya Bharat															
Greater Gwalior	273	57	10·9	1	..	1	13	2·4	2			
Indore	368	199	28·1	17	2	9	78	11·0	23			
Ujjain	156	27	9·0	8	1	28	8·7	1		
Ratlam	73	30	21·4	2	..	1	16	11·4	..			
Mandsaur	41	9	11·4			
TOTAL	911	322	18·4	38	2	11	1	133	7·6	26		
Mysore															
Chitaldrug	31	23	38·6	1	4	6·7	..			
Bangalore	977	464	24·7	6	45	69	197	10·5				
Mysore	294	144	25·5	9	9	..	58	10·3	..			
Kolar Gold Fields	173	49	14·7	1	11	3·3	..		
Bellary	78	29	19·3	2	2	2	21	14·0	..			
Devangere	69	23	17·3	4	3·0	..			
Hospet	45	20	23·1	1	2	..	1	6	6·9	..		
Simoga	57	37	33·8	10	1	..	14	12·8	..			
TOTAL	1,724	789	23·8	29	60	71	1	315	9·5	..		
PEPSU															
Patiala City†	34	31	47·4	5	6	9·2	3			
Malerkotla	39	13	17·3	2	3	4·0	1			
Hindua															
TOTAL	73	44	31·3	7	9	6·4	4			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn.—Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan													
Alwar†													
Bharatpur†													
Bikaner	117	8	3·5	..	1	..	12	..	2	..	15	6·7	4
Churu	48	2	2·2	2	..	1	..	3	3·2	..
Ganganagar	47	2	2·2	..	4	..	6	1	1	..	19	21·0	..
Tonk	45	9	10·4	1	1	1·2	..
Kotah	72	11	7·9	3	..	1	..	9	6·5	2
Sikar†													
Jaipur†													
Udaipur†													
Jodhpur†													
TOTAL	329	32	5·1	..	5	..	23	1	5	1	47	7·4	6
Travancore-Cochin													
Alleppey	148	77	27·1	3	1	18	6·3	..
Changanacherry†													
Ettukulam	70	52	38·6	8	5·9	..
Kottayam	50	67	69·7	1	..	28	29·1	1
Mattanchery	85	69	42·2	1	1	10	6·1	1
Nagercoil	94	34	18·8	3	15	8·3	2
Quilon	75	110	76·3	3	1	..	24	16·6	6
Trichur	76	37	25·3	1	..	11	7·5	1
Trivandrum City	218	299	71·3	7	..	3	..	23	5·5	6
TOTAL	816	745	47·5	14	5	6	1	137	8·7	17
Saurashtra													
Bhavnagar	157	56	18·5	19	4	5	..	58	19·2	21
Dhoraji	47	16	17·7	2	1	9	10·0	..
Gondal	41	42	53·3	2	1	1	..	5	6·3	..
Jamnagar	122	14	6·0	5	1	..	1	13	5·5	3
Junagadh	65	23	18·4	5	2	2	..	18	14·4	7
Morvi	43	12	14·5	1	1	4	4·8	2
Porbandar	64	50	14·5	13	1	24	19·5	11
Rajkot	167	53	16·5	17	10	3	..	37	11·5	19
Surendranagar†													
Veraval	46	13	14·7	3	..	1	..	5	5·6	2
TOTAL	752	279	19·3	67	20	13	1	173	12·0	65

ARREAR RETURNS

Andhra

For w/e 9-6-56

Adoni	63	42	34·7	1	13	10·7	5
Arantapur	38	20	27·4	1	4	5·5	1
Anakapalli	46	24	27·1	4	2	1	..	22	24·3	6
Bhimavaram	36	31	44·8	1	2	3	4·3	1
Chirala	43	30	36·3	3	1	1	..	9	10·9	2
Chittor	45	35	40·5	3	..	9	10·4	3
Guddapah†													
Eluru	99	49	25·7	..	5	..	2	..	4	2	40	21·0	4
Gudivada	36	16	23·1	4	10	14·4	3
Guntur	147	123	43·5	..	6	..	12	5	55	19·5	13
Guntakal	37	20	28·1	1	..	3	4·2	..
Kakinada	113	37	17·0	7	1	..	1	36	16·6	8

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate ; C.—Cholera S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information ; "N.R." information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—*contd.*

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	Deaths from :—								D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.	Total			
Andhra—<i>contd.</i>														
Kurnool	68	68	52.0	1	4	..	20	15.3	8	
Masulipatnam	88	65	38.4	3	16	9.5	4	
Nandyal	37	28	39.3	..	4	..	1	1	1	4	17	23.9	3	
Nellore	95	124	67.8	10	..	1	1	42	23.0	10	
Proddutur†														
Rajahmundry	122	42	17.9	3	1	2	..	21	8.9	1	
Tenali	67	49	38.0	3	2	7	..	17	13.2	8	
Vijaywada	201	176	45.6	8	1	5	..	48	12.4	20	
Vizakhapatnam	128	46	18.7	..	5	..	5	3	7	..	35	4.2	13	
Vizianagaram	75	42	29.1	3	19	13.2	4	
TOTAL	1,583	1,067	35.0	..	20	..	70	19	37	12	439	14.4	117	
Hyderabad														
<i>For w/e 26-5-56</i>														
Aurangabad	73	12	8.5	1	..	1	1	3	2.1	..	
Bidar†														
Gulbergat†														
Hyderabad City	1,057	711	35.5	..	4	..	19	1	4	1	83	4.2	11	
Jalna†														
Kothagudiam†														
Latur	41	1	1.2	..	
Nanded	80	8	5.2	2	8	5.2	..	
Nizambad	67	11	8.5	4	..	2	..	5	3.9	..	
Parbhani†														
Raichur†														
Secunderabad City	162	142	45.6	3	5	7	..	35	11.2	10	
Warangal†														
TOTAL	1,480	884	31.1	..	4	..	29	6	14	2	137	4.8		
Madhya Pradesh														
Jabalpur	237	61	13.3	..	1	..	11	..	8	..	47	10.3	..	
Murwara	39	28	37.3	11	..	7	..	18	24.0	..	
<i>For w/e 19-5-56</i>														
Jabalpur	237	115	25.2	..	2	..	16	..	7	..	50	11.0	..	
Murwara	39	28	37.3	8	..	14	18.7	..	
<i>For w/e 26-5-56</i>														
Raigarh	35	6	7.4	2	1	4	5.9	..	
<i>For w/e 9-6-56</i>														
Jabalpur	237	61	13.3	7	2	7	..	23	5.0	..	
Punjab														
<i>For w/e 12-5-56</i>														
Panipat	64	25	20.4	6	..	5	..	13	10.6	1	
<i>For w/e 26-5-56</i>														
Panipat	64	32	26.0	3	..	3	..	6	4.9	..	
<i>For w/e 2-6-56</i>														
Rohtak	105	134	66.7	15	3	2	..	33	16.4	10	
Sonepat	34	45	69.2	11	18	27.7	7	
Ludhiana	176	99	29.4	15	..	1	..	24	7.1	3	
Madhya Bharat														
<i>For w/e 9-6-56</i>														
Mandsaur	41	8	10.1	3	..	1	..	4	5.1	..	
Jammu & Kashmir														
<i>For w/e 7-4-56</i>														
Srinagar	242	186	39.9	2	..	11	..	32	6.8	8	
<i>For w/e 14-4-56</i>														
Srinagar	242	130	27.9	6	..	19	4.0	6	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; “Nil” information ; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 16th June, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Jammu & Kashmir—<i>contd.</i>													
Jammu	69	63	47·4	1	2	2	..	12	9·0	1
Srinagar	242	131	28·1	For w/e 28-4-56	2	..	3	..	16	3·4	2
<i>For w/e 21-4-56</i>													
Jammu	69	53	39·9	1	1	6	4·5	1
Srinagar	242	140	30·0	2	..	4	..	15	3·2	3
<i>For w/e 5-5-56</i>													
Jammu	69	40	30·1	2	3	..	3	11	8·2	2
<i>For w/e 12-5-56</i>													
Jammu	69	44	33·1	4	4	2	..	14	10·5	2
<i>For w/e 19-5-56</i>													
Jammu	69	38	28·6	4	2	1	..	17	12·8	2
<i>For w/e 26-5-56</i>													
Jammu	69	43	32·4	7	2	1	..	14	10·5	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 16th June, 1956 relate to 256 towns with an estimated population of 35,145 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 81% of the total number of towns representing 85% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 17,900 and 7,598 representing birth and death rates of 26.5 and 11.2 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 210 towns with an estimated population of 28,766 thousands. Information about Assam, could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 83% of the total number of towns representing 86% of the total population is covered. The number of births

and deaths recorded in these towns were 15,324 and 6,641 representing birth rates and death rates of 27.7 and 12.0 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of the population.

(b) *States (Part B).*—The data here relate to 46 towns with an estimated population of 6,379 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 71% of the total number of towns representing 79% of the total population is covered. The number of births and deaths recorded in these towns were 2,576 and 957 representing birth and death rates of 21.0 and 7.8 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousands of population.

States	Current w/e 16-6-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	17.7	8.7	†	†	23.3	12.1
Andhra	36.8	15.4	28.3	16.2	†	†
Bihar	14.4	6.4	16.1	6.5	13.7	7.3
Bombay	27.8	11.8	29.1	12.1	28.8	14.0
Delhi	27.7	10.9	29.4	14.1	29.2	13.5
Madhya Pradesh	24.8	10.0	18.5	9.9	22.2	12.8